

 **TOYOTA**
moving forward ▶



LAND CRUISER
STATION WAGON

Specification may vary in different countries, for Indonesia specification please contact Toyota's dealer.



Specification may vary in different countries, for Indonesia specification please contact Toyota's dealer.

A SYMBOL OF BUILT-IN STRENGTH AND TRUST

Frame and body merge in an unequalled *synergy of strength*. The resulting union of rugged durability, rigid strength, and ride stability is unique among full size 4WDs, forming the foundation and ensuring the continuity of the Land Cruiser legend.



4.5L V8 Diesel Engine 1VD-FTV




Body Structure

INNOVATIVE YET FUNDAMENTAL THE SPIRIT OF SAFETY

Occupant safety in the new Land Cruiser is the first-rate and comprehensive, with innovative technologies that assure relaxing confidence and peace of mind.



SRS Airbags



Multi-terrain ABS with EBD




Specification may vary in different countries, for Indonesia specification please contact Toyota's dealer.



**ENTER THE
NEW STANDARD OF LUXURY**

Within the new King of 4 WD's massive exterior presence that has been consciously designed to make a statement, the luxurious interior leaves a lasting impression of prominence.



FOLLOW THE
'LAND CRUISER WAY'
TO 4WD
SUPREMACY

Specification may vary in different countries, for Indonesia specification please contact Toyota's dealer.

SPECIFICATIONS

TYPE	Land Cruiser 200 AT		
	STANDARD	FULL SPECS	
DIMENSION			
Overall Length	mm	4,950	
Overall Width	mm	1,970	
Overall Height	mm	1,905	
Wheelbase	mm	2,850	
Tread	Front	mm	1,640
	Rear	mm	1,635
Ground Clearance	mm	225	
Curb Weight	kg	2,640	
CHASSIS			
Transmission	6 Speed Automatic		
Gear Ratio	1 st	3.333	
	2 nd	1.960	
	3 rd	1.353	
	4 th	1.000	
	5 th	0.728	
	6 th	0.588	
Reverse	3.061		
Final Gear Ratio	3.909		
Suspension	Front	Double Wishbone	
	Rear	4-Link Coil Rigid Suspension with Lateral Rod	
Brake System	Front	Ventilated Disc Equipped with ABS + EBD + BA	
	Rear	Ventilated Disc with ABS + EBD + BA + VSC + ATRC + HAC + DAC	
Tyre Size	285 / 65 R17		
ENGINE			
		1 VD - FTV	
Engine Type	V 8, 32 Valves, DOHC, Diesel Commonrail		
Displacement	cc	4,461	
Bore x Stroke	mm x mm	86.0 x 96.0	
Maximum Power	ps/rpm	235 / 3,200	
Maximum Torque	kgm/rpm	62.8 / 1,800 - 2,200	
Fuel Tank Capacity	ltr	93	
Fuel	Type	Diesel	
	System	3 rd Generation Commonrail with Twin Turbo	

PT Toyota-Astra Motor reserves the right to alter any details of specifications and equipments without prior notice.

COLOR OPTION



Super White II
Solid

Silver Metallic

Grey Metallic

Black

Dark Red Mica
Metallic

Beige Mica
Metallic

Gold Mica
Metallic

Green Mica
Metallic

Greyish Blue
Metallic

Authorized Toyota Dealer

Color option in the brochure might slightly be different from the actual color of the cars. Specification may vary in different countries, for Indonesia specification please contact Toyota's dealer.